


| Title | Page |
|-------|------|
|-------|------|

|                |     |
|----------------|-----|
| Diagrams ..... | 1 ➡ |
|----------------|-----|

### 55.

Version: ELX - GT - Sporting

Parking lights and warning lamp - Dipped beam headlamps - Main beam headlamps and warning light - Headlamp flasher - Number plate lights - (see key following diagrams)




P3M02KL01



Version: S - SX - HSD - 6 Speed - Selecta

Turn signals and warning light - Hazard warning lights and warning lamp - Reversing lights - Braking lights - (see key following diagrams)



P3M03KL01

## 55.


## 1996 version

**Turn signals and warning light - Hazard warning lights and warning lamp - Reversing lights - Brake lights and warning light (check) - (see key following diagrams)**



Version: S - SX - HSD - 6 Speed - Selecta

Fog lamps and warning light - Rear fog lamps and warning light - (see key following diagrams)




\* Not present on S version  
\*\* 60A for D versions

P3M05KL01

**55.**

**Version: ELX - GT - Sporting**


**Fog lamps and warning light - Rear fog lamps and warning light - (see key following diagrams)**



**P3M06KL01**

Version: S - SX - HSD - 6 Speed - Selecta

Windscreen wiper - Rear wash/wipe - Windscreen and rear window washer pump - Electric horns - Heated rear window and warning light - (see key following diagrams)




P3M07KL01

### 55.

Version: ELX - Sporting

Windscreen wiper - Rear wash/wipe - Windscreen and rear window washer pump - Electric horns - Heated rear window and warning light - (see key following diagrams)




\* 60A for D versions

P3M08KL01

Version: S - SX - HSD - 6 Speed - Selecta


Provision for car radio - Courtesy light - Symbol illumination - (see key following diagrams)



**55.**

**Version: ELX - GT - Sporting**

**Provision for car radio - Courtesy light - Symbol illumination - (see key following diagrams)**




P3M10K101



Version: S

Fuel level gauge and reserve warning light - Low brake fluid level and handbrake warning lamp - Coolant overheating warning light - Excessive brake pad wear warning light - Insufficient engine oil pressure warning light - Water in fuel filter warning light - Clock - (see key following diagrams)




P3M11KL01

### 55.

Version without air conditioner


Engine cooling system - Car interior ventilation - Water temperature gauge - Coolant overheating warning light - Cigar lighter - (see key following diagrams)



P3M12KL01

Version with air conditioner: 1242 SPI SX - Selecta - 1242 MPI - 1581

Engine cooling system - Car interior ventilation - Water temperature gauge - Cigar lighter - (see key following diagrams)




P3M13KL01

### 55.

Version with air conditioner

Version: SX - ELX


Engine cooling system - Car interior ventilation - Water temperature gauge - Cigar lighter - (see key following diagrams)



P3M14KL01


### Version with air conditioner

**Engine cooling system - Car interior ventilation - Water temperature gauge - Cigar lighter - (see key following diagrams)**



### 55.


Windscreen wiper - Rear wash/wipe - Windscreen and rear window washer pump - Electric horns - Heated rear window and warning light - Headlamp washer - (see key following diagrams)



P3M16KL01

Version: S - SX - HSD - 6 Speed - Selecta

Electric front windows - (See key following diagrams) - (see key following diagrams)




P3M17KL01

### 55.

Version: ELX - GT - Sporting

Electric front windows - (see key following diagrams)




P3M18KL01



Version without alarm

Version: S - SX - HSD - 6 Speed - Selecta

Electric door lock - (see key following diagrams)




P3M19KL01

### 55.

Version without alarm

Version: ELX - Sporting

Electric door lock - Door open warning light - (see key following diagrams)



\* 60A for D versions


\*\* Not present on 3 door versions

P3M20KL01

Version without alarm

Version: GT

Electric door lock - (see key following diagrams)




P3M21KL01

### 55.

Version with alarm

Version: S - SX - HSD - 6 Speed - Selecta

Electric door lock - (see key following diagrams)




P3M22KL01

Version with alarm

Version: ELX - Sporting

Electric door lock - Door open warning light - (see key following diagrams)




P3M23KL01

### 55.

Version with alarm

Version: GT


Electric door lock - Door open warning light - (see key following diagrams)



P3M24KL01

**Version: S - SX - HSD - 6 Speed - Selecta**


**Headlamp alignment device - (see key following diagrams)**



### 55.

Version: ELX - GT - Sporting


Headlamp alignment device - (see key following diagrams)



P3M26KL01



Anti-lock brakes and warning light (A.B.S. 2SH) - (see key following diagrams)




P3M27KL01

### 55.


Version: GT

Electrically-adjustable, heated door mirrors - (see key following diagrams)



P3M28KL01


Fiat-CODE device and warning light - (see key following diagrams)



### 55.


Version: D

Fiat-CODE device and warning light - (see key following diagrams)



P3M30KL01


Fiat-CODE device and warning light - (see key following diagrams)



### 55.


Version: ELX - GT - Sporting

Electrically operated sun roof - (see key following diagrams)



P3M32KL01

EURO-BAG device and warning light - (see key following diagrams)




P3M33KL01

### 55.

North European version: 1108 S - 1242 MPI S/SX/ELX

Heated driver's seat - (see key following diagrams)




\* Connection variant for versions ELX

P3M34KL01



Junction unit - (See key following diagrams)




P3M35KL01

### 55.

Version: ELX - GT - Sporting


Junction unit (options) - (see key following diagrams)



P3M36KL01

United Kingdom/Ireland version: 1108 - 1698 D - 1697 TD/SX - 1242 MPI SX

Parking lights and warning lamp - Dipped beam headlamps - Main beam headlamps and warning light - Headlamp flasher - Number plate lights - (see key following diagrams)




\* 60A for D versions

P3M37KL01

### 55.


United Kingdom/Ireland version: 1242 MPI ELX - 1580 ELX - 1372 GT

Parking lights and warning lamp - Dipped beam headlamps - Main beam headlamps and warning light - Headlamp flasher - Number plate lights - (see key following diagrams)




P3M38KL01

\* Not present on S version  
\*\* Connection variant for versions without air conditioner



### 55.

Starting - Electronic ignition and injection - Recharging and warning light - Insufficient engine oil pressure warning light  
- Injection system failure warning light - Rev counter - (See key following diagrams)




\* See Fiat-CODE wiring diagram  
\*\* See air conditioner diagram

\*\*\* Connection variant for versions without air conditioner

P3M40KLOT


**Starting - Motronic electronic ignition and injection (Bosch) - Recharging and warning light - Insufficient engine oil pressure warning light - Injection system failure warning light - Rev counter - (see key following diagrams)**



\*\* Connection variant for versions without air conditioner

### 55.


Starting - Electronic ignition and injection - Recharging and warning light - Insufficient engine oil pressure warning light - Injection system failure warning light - Rev counter - (see key following diagrams)



\* Connection variant for versions without air conditioner




Starting - Plug preheating system and warning lamp - Recharging and warning light - Heated fuel filter (P.T.C.) - Insufficient engine oil pressure warning light - Rev counter - (see key following diagrams)



### 55.


Starting - Plug preheating device and warning light - Recharging and warning light - Automatic cold injection advance device (K.S.B.) - Heated fuel filter (P.T.C.) - Insufficient engine oil pressure warning light - Maximum turbo boost pressure warning light - Rev counter - (see key following diagrams)



\* On the ELX version, warning light N is replaced by a turbocharger pressure gauge (pneumatic)


\*\* Connection variant for versions without air conditioner

\*\*\* Variant for ELX version



55.

Starting - Plug preheating device and warning light - Recharging and warning light - Automatic cold injection advance device (K.S.B) - EGR device ECU - Heated fuel filter (P.T.C.) - Insufficient engine oil pressure warning light - Maximum turbo boost pressure warning light - Rev counter - (see key following diagrams)




\* On the ELX, w.i. N is replaced by a turbocharger pressure gauge (pneumatic)

### 55.

Version with automatic transmission


Version: Selecta

Starting - Electronic ignition and injection - Recharging and warning light - Insufficient engine oil pressure warning light - Injection system failure warning light - Rev counter - (see key following diagrams)



\* Connection variant for versions without air conditioner

Version: petrol  
Version: SX - HSD - 6 Speed - Selecta  
Fuel level gauge and reserve warning light - Low brake fluid level and handbrake warning lamp - Water temperature gauge - Excessive brake pad wear warning light - Insufficient engine oil pressure warning light - Digital clock - Rev counter - Speedometer - (see key following diagrams)



\* Only on versions with ABS

## Punto

### 1996 version

1996 version


ing light - Digital clock - Rev counter - Speedometer - Engine oil pressure gauge - (see key following diagrams)



Version: petrol

Version: ELX - GT - Sporting

Fuel level gauge and reserve warning light - Low brake fluid level and handbrake warning lamp - Water temperature gauge - Excessive brake pad wear warning light - Insufficient engine oil pressure warning light - Door open warning light - Digital clock - Rev counter - Speedometer - Engine oil pressure gauge - (see key following diagrams)



\* Not present on 3 door versions  
\*\* Only on GT versions

\*\*\* Connection variant for GT versions  
\*\*\*\* Variant for version 1581

**Punto**  
**1996 version**

**Punto**  
**1996 version**


**Punto**  
**1996 version**

**Punto**  
**1996 version**







Version: 1242 SPI Selecta - 1242 MPI SX/ELX - 1581 SX/ELX - 1242 MPI HSD  
Air conditioner - (see key following diagrams)



\* Variant for SX specification - Selecta  
\*\* Variant for version 1581  
\*\*\* Variant for version 1242 SPI Selecta


**Air conditioner - (see key following diagrams)**





\*\* See starting diagram

Air conditioner - (see key following diagrams)



## Punto

### 1996 version

## Punto

### 1996 version




## Punto

### 1996 version

## Punto

### 1996 version



\* see turn signal/hazard warning light diagram


300 tam signal/ hazard warning  
\*\* Not present on 3 door versions

\*\*\*  
60A for D versions

### 55.

Version: GT


Alarm device and activation warning light - (see key following diagrams)



\* See turn signal/hazard warning light diagram  
\*\* See door lock wiring diagram

Version: Selecta


**Automatic transmission - Automatic transmission warning light - Speedometer - (see key following diagrams)**






**55.**

Version: petrol  
Version: S  
Instrument panel connections - (see key following diagrams)



Version: petrol  
Version: SX - HSD - 6 Speed - Selecta  
Instrument panel connections - (see key following diagrams)




\* Only for vehicles with A.B.S.

## Punto

### 1996 version

## Punto


### 1996 version



\*\*\*  
Not present on 3 door versions

Version: GT


Instrument panel connections - (see key following diagrams)



\* See vehicle brake light diagram


## 55.

Version: D - TD  
Version: S  
Instrument panel connections - (see key following diagrams)




\* Only on versions TD

Version: D - TD  
Version: SX  
Instrument panel connections - (see key following diagrams)



\* Only on versions TD

Version: D - TD  
Version: ELX  
Instrument pan



\* See vehicle brake light diagram  
\*\* Not present on 3 door versions


- Parking lights and warning lamp - Dipped beam headlamps - Main beam headlamps and warning light - Headlamp washer  
 - Number plate lights - Heated driver's seat - Headlamp washer - (see key following diagrams)





**55.**


North European version: 1242 MPI ELX  
Parking lights and warning lamp - Dipped beam headlamps - Main beam headlamps and warning light - Headlamp flasher - Number plate lights - Heated driver's seat - Headlamp washer - (see key following diagrams)



Version: Japan

Version: Selecta

Starting - Electronic ignition and injection - Recharging and warning light - Insufficient engine oil pressure warning light  
- Injection system failure warning light - Rev counter - Maximum catalytic converter temperature warning light - (see key following diagrams)




\* Connection variant for versions without air conditioner

### 55.

Version: Algeria - Eastern Europe

Version: S - SX


Starting - Electronic ignition and injection - Recharging and warning light - Insufficient engine oil pressure warning light - Injection system failure warning light - Rev counter - (See key following diagrams)



\* Not present on S version

\*\* Connection variant for versions without air conditioner

Tester connections - (see key following diagrams)



- \* Variant for version 1581
- \*\* Connection variant for versions 1108 - 1242 - 1581 with air conditioning
- \*\*\* Connection variant for versions D
- \*\*\*\* Variant for version 1372 GT